DATA SHEET WorldView-1

WorldView-1, launched in September 2007, is the first of our next-generation satellites - the most agile satellites ever flown commercially. The high-capacity, panchromatic imaging system features half-meter resolution imagery. Operating at an altitude of 496 km, WorldView-1 has an average revisit time of 1.7 days. The satellite is also equipped with state of the art geolocation accuracy capabilities and exhibits stunning agility with rapid targeting and efficient in-track stereo collection.

ZEUSI





COLLECTION CAPACITY

Ability to image 1,300,000 $\rm km^2$ daily with 1.7 day revisit rate at 1.7 days at 1 m GSD or less.



ACCURACY Predicted <4 m CE90 without ground control



CONTIGUOUS AREA COLLECTED Mono: 111 km x 112 km (6 strips)

Stereo: 51 km x 112 km (6 strips)

WorldView-1

ZEUSI

Specifications

Orbit	 Altitude: 496 km Type: SunSync, 10:30 am descending node Period: 95 minutes
Dynamic Range	11-bits per pixel
Swath Width	At Nadir: 17.7 km
Sensor Bands	Panochromatic 400 - 900 nm
Resolution	Panochromatic <u>ONA*</u> 0° ONA: 0.50 m 20° ONA: 0.55 m * Off Nadir Angle (ONA)



Features

- High capacity in various collection modes
- Optimised and flexible collection planning
- Direct downlink to German antenna for near real-time delivery



About European Space Imaging (EUSI)

Based in Munich, Germany and established in 2002, EUSI is the leading premium supplier of global Very High Resolution (VHR) satellite imagery and derived services such as 3D products, vector derivatives and analytic tools to customers in Europe and North Africa.

Through their longstanding partnership with Maxar Technologies, they were the first European company to bring 30 cm resolution satellite imagery to the EU market. Today, EUSI has access to satellites at resolutions 30 cm – 1 m and a combined daily revisit of close to 10 times a day in panchromatic, multispectral, hyperspectral and video.